

Chemical Physics 248 (1999) 295-297

## Chemical Physics

www.elsevier.nl/locate/chemphys

# Author index

Alonso, J.L., see De Luis, A. Anderson, H.L., see Thorne, J.R.G.	248 (1999) 247 248 (1999) 181
	210 (1777) 101
Blake, I.M., see Thorne, J.R.G.	248 (1999) 181
Blau, W.J., see Holzer, W.	248 (1999) 273
Bouattour, S., T. Mhiri and J. Jaud, Structure and vibrational study of a new material	
$Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$	248 (1999) 117
Bradley, D.D.C., see Holzer, W.	248 (1999) 273
Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I. Basis equations within the linear response	
theory	248 (1999) 53
Chamma, D. and O. Henri-Rousseau, IR theory of weak H-bonds: Davydov coupling,	
Fermi resonances and direct relaxations. II. General trends, from numerical experiments Chamma, D. and O. Henri-Rousseau, Infrared spectra of weak H-bonds: beyond an	248 (1999) 71
adiabatic description of Fermi resonances	248 (1999) 91
Chauvin, A.H., see Kustova, E.V.	248 (1999) 221
Czuchaj, E. and H. Stoll, Calculation of ground- and excited-state potential energy curves	
for the Cd-rare gas complexes	248 (1999) 1
De Luis, A., J.C. López and J.L. Alonso, The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave	
spectroscopy	248 (1999) 247
Denning, R.G., see Thorne, J.R.G.	248 (1999) 181
Gastilovich, E.A., see Korol'kova, N.V.	248 (1999) 233
Gödicke, B., see Zimmer, K.	248 (1999) 263
Gu, XB., see Zhu, RS.	248 (1999) 285
Han, KL., see Zhu, RS.	248 (1999) 285
Hariharan, C., M.C. Rath, T. Mukherjee and A.K. Mishra, 2-Naphthol-aliphatic amine	
exciplex systems: a method for approximate estimation of kinetic parameters	248 (1999) 41
Harland, P.W., see Thompson, A.E.	248 (1999) 127
He, FC., see Li, XY.	248 (1999) 137
He, GZ., see Zhu, RS.	248 (1999) 285
Henri-Rousseau, O., see Chamma, D.	248 (1999) 53
Henri-Rousseau, O., see Chamma, D.	248 (1999) 71

•	
Henri-Rousseau, O., see Chamma, D.	248 (1999) 91
Holzer, W., A. Penzkofer, M. Pichlmaier, D.D.C. Bradley and W.J. Blau, Photodegradation	(
of some luminescent polymers	248 (1999) 273
Hoppmeier, M., see Zimmer, K.	248 (1999) 263
Janzen, Ch., see Roth, W.	248 (1999) 17
Jaud, J., see Bouattour, S.	248 (1999) 117
Johnson, J.R.T. and I. Panas, Structure, bonding and redox properties of scandium oxide	
clusters, a model study	248 (1999) 161
Kalugin, N.G., P. Kleindienst and G.H. Wagnière, The magnetochiral birefringence in	
diamagnetic solutions and in uniaxial crystals	248 (1999) 105
Kir'yanova, T.A., see Korol'kova, N.V.	248 (1999) 233
Kleindienst, P., see Kalugin, N.G.	248 (1999) 105
Klimenko, V.G., see Korol'kova, N.V.	248 (1999) 233
Korol'kova, N.V., V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich, Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: nπ* phos-	
phorescence of 9,10-anthraquinone haloderivatives	248 (1999) 233
Kuebler, S.M., see Thorne, J.R.G.	248 (1999) 181
Kustova, E.V., E.A. Nagnibeda and A.H. Chauvin, State-to-state nonequilibrium reaction	
rates	248 (1999) 221
Li, XY., XS. Tang and FC. He, Electron transfer in poly(p-phenylene) oligomers:	
effect of external electric field and application of Koopmans theorem	248 (1999) 137
López, J.C., see De Luis, A.	248 (1999) 247
Lou, NQ., see Zhu, RS.	248 (1999) 285
Maclagan, R.G.A.R., see Thompson, A.E.	248 (1999) 127
Marković, N., see Svedung, H.	248 (1999) 127
Meyer, H., see Zimmer, K.	248 (1999) 193
Mhiri, T., see Bouattour, S.	248 (1999) 203
Mishra, A.K., see Hariharan, C.	248 (1999) 41
Mukherjee, T., see Hariharan, C.	248 (1999) 41
Municipe, 1., see Harmaran, C.	246 (1999) 41
Nagnibeda, E.A., see Kustova, E.V.	248 (1999) 221
Nordholm, S., see Svedung, H.	248 (1999) 195
Panas, I., see Johnson, J.R.T.	248 (1999) 161
Pecul, M. and J. Sadlej, The influence of electrostatic and dispersion interactions on the	
NMR parameters of acetylene	248 (1999) 27
Penzkofer, A., see Holzer, W.	248 (1999) 273
Peyerimhoff, S.D., see Sengupta, D.	248 (1999) 147
Pichlmaier, M., see Holzer, W.	248 (1999) 273
Rath, M.C., see Hariharan, C.	248 (1999) 41
Roth, W., D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt, The relative	
stabilities of benzotriazole tautomers determined by a rotational band contour analysis of	
the N-H stretching vibration	248 (1999) 17

Sadlej, J., see Pecul, M.	248 (1999) 27
Schmitt, M., see Roth, W.	248 (1999) 17
Schweig, A., see Zimmer, K.	248 (1999) 263
Sengupta, D., R. Sumathi and S.D. Peyerimhoff, Unimolecular decomposition of the	
isomers of [HNO <sub>2</sub> ] <sup>+</sup> and [HNO <sub>2</sub> ] <sup>-</sup> systems: a DFT study	248 (1999) 147
Serov, S.A., see Korol'kova, N.V.	248 (1999) 233
Spangenberg, D., see Roth, W.	248 (1999) 17
Stoll, H., see Czuchaj, E.	248 (1999) 1
Sumathi, R., see Sengupta, D.	248 (1999) 147
Svedung, H., N. Marković and S. Nordholm, Collisional deactivation of CF <sub>3</sub> I - a	
molecular dynamics simulation	248 (1999) 195
Syutkin, V.M., Target problem in a lattice with randomly removed bonds	248 (1999) 213
Tang, XS., see Li, XY.	248 (1999) 137
Taylor, P.N., see Thorne, J.R.G.	248 (1999) 181
Thompson, A.E., R.G.A.R. Maclagan and P.W. Harland, The ab-initio calculation of the	2.0 (2.2.2) 201
gas phase ion mobility of Na <sup>+</sup> in N <sub>2</sub>	248 (1999) 127
Thorne, J.R.G., S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson, Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin	
oligomers	248 (1999) 181
Wagnière, G.H., see Kalugin, N.G.	248 (1999) 105
Wang, GJ., see Zhu, RS.	248 (1999) 285
Westphal, A., see Roth, W.	248 (1999) 17
Zhang, H., see Zhu, RS.	248 (1999) 285
Zhu, RS., H. Zhang, GJ. Wang, XB. Gu, KL. Han, GZ. He and NQ. Lou,	240 (1999) 203
Photodissociation of $o$ -dichlorobenzene at 266 nm	248 (1999) 285
Zimmer, K., B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig, Fluorescence	210 (1777) 200
spectroscopic studies on the radical cations of tetrathiafulvalenes	248 (1999) 263





Chemical Physics 248 (1999) 299-306

Chemical Physics

www.elsevier.nl/locate/chemphys

# Subject index

### Methods and constructs

#### Theoretical

Computational methods for electronic structure	
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas	
complexes, E. Czuchaj and H. Stoll	248 (1999) 1
The relative stabilities of benzotriazole tautomers determined by a rotational band contour	
analysis of the N-H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A.	
Westphal and M. Schmitt	248 (1999) 17
Electron transfer in poly(p-phenylene) oligomers: effect of external electric field and	
application of Koopmans theorem, XY. Li, XS. Tang and FC. He	248 (1999) 137
Unimolecular decomposition of the isomers of [HNO <sub>2</sub> ] <sup>+</sup> and [HNO <sub>2</sub> ] <sup>-</sup> systems: a DFT	
study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff	248 (1999) 147
-perturbative and many body approaches	
The influence of electrostatic and dispersion interactions on the NMR parameters of	
acetylene, M. Pecul and J. Sadlej	248 (1999) 27
-density functional theory	
Unimolecular decomposition of the isomers of [HNO <sub>2</sub> ] <sup>+</sup> and [HNO <sub>2</sub> ] <sup>-</sup> systems: a DFT	
study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff	248 (1999) 147
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T.	
Johnson and I. Panas	248 (1999) 161
Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpola-	
rizabilities)	
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers,	
J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson	248 (1999) 18
Radiative (incl. relativistic) effects on molecules and molecular processes	
2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of	
kinetic parameters, C. Haribaran, M.C. Rath, T. Mukheriee and A.K. Mishra	248 (1999) 4

Reactive molecular dynamics including dissipative processes	
Collisional deactivation of CF <sub>3</sub> I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm	248 (1999) 195
Statistical computational methods (incl. Monte Carlo)	
Target problem in a lattice with randomly removed bonds, V.M. Syutkin	248 (1999) 213
Non-equilibrium statistical mechanics	
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin	248 (1999) 221
Non-equilibrium thermodynamic and hydrodynamic theories	
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin	248 (1999) 221
Time and space correlation functions	
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I.	
Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II.	248 (1999) 53
General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau	248 (1999) 71
Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D.	
Chamma and O. Henri-Rousseau	248 (1999) 91
Experiment	
Magnetic resonances	
The influence of electrostatic and dispersion interactions on the NMR parameters of acetylene, M. Pecul and J. Sadlej	248 (1999) 27
Molecular spectroscopy	
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G.	
Kalugin, P. Kleindienst and G.H. Wagnière Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: nπ* phospho-	248 (1999) 105
rescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A.	
Kir'yanova, S.A. Serov and E.A. Gastilovich	248 (1999) 233
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig	248 (1999) 263
-microwave	
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso	248 (1999) 247
-infrared	
The relative stabilities of benzotriazole tautomers determined by a rotational band contour	
analysis of the N-H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A.	240 (4000)
Westphal and M. Schmitt	248 (1999) 17

IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I.	
Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II.	248 (1999) 53
General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D.	248 (1999) 71
Chamma and O. Henri-Rousseau	248 (1999) 91
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ , S. Bouattour, T. Mhiri and J. Jaud	248 (1999) 117
-Raman	
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ , S. Bouattour, T. Mhiri and J. Jaud	248 (1999) 117
-visible	
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier,	248 (1999) 263
D.D.C. Bradley and W.J. Blau	248 (1999) 273
Photon counting and phase fluorimetry	
2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra	248 (1999) 41
Nonlinear optics and spectroscopy	
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L. Anderson	248 (1999) 181
Coherent optical spectroscopy	
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière	248 (1999) 105
Atomic and molecular beam techniques	
Photodissociation of <i>o</i> -dichlorobenzene at 266 nm, RS. Zhu, H. Zhang, GJ. Wang, XB. Gu, KL. Han, GZ. He and NQ. Lou	248 (1999) 285
X-ray, electron and neutron diffraction	
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ , S. Bouattour, T. Mhiri and J. Jaud	248 (1999) 117
Objects	

#### **Objects**

#### **Bulk systems**

#### Gases

Calculation of ground- and excited-state potential energy curves for the Cd-rare gas complexes, E. Czuchaj and H. Stoll

248 (1999) 1

The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N-H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt	248 (1999) 17
The ab-initio calculation of the gas phase ion mobility of Na <sup>+</sup> in N <sub>2</sub> , A.E. Thompson,	240 (1999) 17
R.G.A.R. Maclagan and P.W. Harland	248 (1999) 127
Collisional deactivation of CF <sub>3</sub> I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm	248 (1999) 195
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin	248 (1999) 221
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso	248 (1999) 247
THOMAS	2.0 (1777) 2.1
Supersonic beams	
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L. Alonso	248 (1999) 247
Liquid mixtures and solutions	
2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra	248 (1999) 41
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière	248 (1999) 105
Crystals	
Structure and vibrational study of a new material $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ , S. Bouattour, T. Mhiri and J. Jaud	248 (1999) 117
-neat	
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière	248 (1999) 105
Glasses	
Target problem in a lattice with randomly removed bonds, V.M. Syutkin	248 (1999) 213
Polymers	
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers, J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L.	240 (1000) 101
Anderson Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier,	248 (1999) 181
D.D.C. Bradley and W.J. Blau	248 (1999) 273
Thin films	
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier,	
D.D.C. Bradley and W.J. Blau	248 (1999) 273

#### Microscopic and mesoscopic systems

Molecules (neutral and ionic)	
Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: $n\pi^*$ phosphorococco of 0.10 arthropological held definition. N.V. Karalikara V.G. Kliman h. T.A.	
rescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A. Kir'yanova, S.A. Serov and E.A. Gastilovich	248 (1999) 233
Mi yanova, 5.71. Serov and E.71. Gastnovich	240 (1999) 233
-diatomic	
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas	
complexes, E. Czuchaj and H. Stoll	248 (1999) 1
-small polyatomics	
The ab-initio calculation of the gas phase ion mobility of Na <sup>+</sup> in N <sub>2</sub> , A.E. Thompson,	
R.G.A.R. Maclagan and P.W. Harland	248 (1999) 127
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T.	/
Johnson and I. Panas	248 (1999) 161
-aromatics	
Electron transfer in poly(p-phenylene) oligomers: effect of external electric field and	
application of Koopmans theorem, XY. Li, XS. Tang and FC. He	248 (1999) 137
Molecular aggregates	
-van der Waals molecules	
The influence of electrostatic and dispersion interactions on the NMR parameters of	
acetylene, M. Pecul and J. Sadlej	248 (1999) 27
-complexes	
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I.	
Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau	248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II.	* 10 (1000) = 1
General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D.	248 (1999) 71
Chamma and O. Henri-Rousseau	248 (1999) 91
Ions and charge carriers	
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig	248 (1999) 263
b. Godieke, 14. Hoppineter, 11. Meyer and A. Senwerg	240 (1999) 203

#### Phenomena

#### Molecular structure

The relative stabilities of benzotriazole tautomers determined by a rotational band contour analysis of the N-H stretching vibration, W. Roth, D. Spangenberg, Ch. Janzen, A. Westphal and M. Schmitt

248 (1999) 17

Unimolecular decomposition of the isomers of $[\mathrm{HNO_2}]^+$ and $[\mathrm{HNO_2}]^-$ systems: a DFT	
study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T.	248 (1999) 147
Johnson and I. Panas	248 (1999) 161
Vibrations and rotations of molecules	
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I.	240 (1000) 52
Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II.	248 (1999) 53
General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau	248 (1999) 71
Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D.	240 (1000) 01
Chamma and O. Henri-Rousseau Unimolecular decomposition of the isomers of [HNO <sub>2</sub> ] <sup>+</sup> and [HNO <sub>2</sub> ] <sup>-</sup> systems: a DFT	248 (1999) 91
study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff	248 (1999) 147
Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: $n\pi^*$ phosphorescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A.	
Kir'yanova, S.A. Serov and E.A. Gastilovich	248 (1999) 233
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichloroethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L.	
Alonso	248 (1999) 247
Electronic structure and states	
Unimolecular decomposition of the isomers of $[HNO_2]^+$ and $[HNO_2]^-$ systems: a DFT	
study, D. Sengupta, R. Sumathi and S.D. Peyerimhoff	248 (1999) 147
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T.  Johnson and I. Panas	248 (1999) 161
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers,	2.0 (1777) 101
J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L.	248 (1000) 101
Anderson Internal heavy-atom effect on spin-orbit and vibronic-spin-orbit coupling: $n\pi^*$ phospho-	248 (1999) 181
rescence of 9,10-anthraquinone haloderivatives, N.V. Korol'kova, V.G. Klimenko, T.A.	
Kir'yanova, S.A. Serov and E.A. Gastilovich	248 (1999) 233
Electric and magnetic properties	
The influence of electrostatic and dispersion interactions on the NMR parameters of	249 (1000) 27
acetylene, M. Pecul and J. Sadlej  The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G.	248 (1999) 27
Kalugin, P. Kleindienst and G.H. Wagnière	248 (1999) 105
Optical activity	
The magnetochiral birefringence in diamagnetic solutions and in uniaxial crystals, N.G. Kalugin, P. Kleindienst and G.H. Wagnière	248 (1999) 105
Molecular interactions	
Calculation of ground- and excited-state potential energy curves for the Cd-rare gas	( )
complexes, E. Czuchaj and H. Stoll  The influence of electrostatic and dispersion interactions on the NMR parameters of	248 (1999) 1
acetylene, M. Pecul and J. Sadlej	248 (1999) 27

Spectral bandshapes and intensities	
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. I.	
Basis equations within the linear response theory, D. Chamma and O. Henri-Rousseau	248 (1999) 53
IR theory of weak H-bonds: Davydov coupling, Fermi resonances and direct relaxations. II.	
General trends, from numerical experiments, D. Chamma and O. Henri-Rousseau	248 (1999) 71
Infrared spectra of weak H-bonds: beyond an adiabatic description of Fermi resonances, D. Chamma and O. Henri-Rousseau	240 (1000) 01
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier,	248 (1999) 91
D.D.C. Bradley and W.J. Blau	248 (1999) 273
and the same	210 (1777) 215
Energy transfer processes	
Collisional deactivation of CF <sub>3</sub> I - a molecular dynamics simulation, H. Svedung, N.	
Marković and S. Nordholm	248 (1999) 195
Melanday who to physical processes	
Molecular photophysical processes  2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of	
kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra	248 (1999) 41
	2.0 (1222)
Photochemistry	
Photodegradation of some luminescent polymers, W. Holzer, A. Penzkofer, M. Pichlmaier,	
D.D.C. Bradley and W.J. Blau	248 (1999) 273
Photodissociation of o-dichlorobenzene at 266 nm, RS. Zhu, H. Zhang, GJ. Wang,	240 (1000) 205
XB. Gu, KL. Han, GZ. He and NQ. Lou	248 (1999) 285
Intramolecular dynamics	
The Cl-nuclear quadrupole coupling tensors and the internal rotation barrier of 1,1-dichlo-	
roethane by Fourier transform microwave spectroscopy, A. de Luis, J.C. López and J.L.	
Alonso	248 (1999) 247
-vibrational energy redistribution (incl. vibrational dissociation)	
State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H.	
Chauvin	248 (1999) 221
Luminescence spectra, yields and lifetimes	
2-Naphthol-aliphatic amine exciplex systems: a method for approximate estimation of	
kinetic parameters, C. Hariharan, M.C. Rath, T. Mukherjee and A.K. Mishra	248 (1999) 41
Fluorescence spectroscopic studies on the radical cations of tetrathiafulvalenes, K. Zimmer, B. Gödicke, M. Hoppmeier, H. Meyer and A. Schweig	248 (1999) 263
B. Godicke, M. Hoppineler, H. Meyer and A. Schweig	240 (1999) 203
Nonlinear responses (incl. optical)	
Degenerate four-wave mixing studies of butadiyne-linked conjugated porphyrin oligomers,	
J.R.G. Thorne, S.M. Kuebler, R.G. Denning, I.M. Blake, P.N. Taylor and H.L.	
Anderson	248 (1999) 181
Reactions (incl. dissociation)	
Structure, bonding and redox properties of scandium oxide clusters, a model study, J.R.T.	
Johnson and I. Panas	248 (1999) 161

-C				

Collisional deactivation of CF<sub>3</sub>I – a molecular dynamics simulation, H. Svedung, N. Marković and S. Nordholm

248 (1999) 195

State-to-state nonequilibrium reaction rates, E.V. Kustova, E.A. Nagnibeda and A.H. Chauvin

248 (1999) 221

#### -condensed phase

Target problem in a lattice with randomly removed bonds, V.M. Syutkin

248 (1999) 213

#### Electron transfer

Electron transfer in poly(p-phenylene) oligomers: effect of external electric field and application of Koopmans theorem, X.-Y. Li, X.-S. Tang and F.-C. He

248 (1999) 137

#### Proton and hydrogen atom transfer

Structure and vibrational study of a new material  $Rb_{0.78}(NH_4)_{0.22}H(SO_4)_{0.9}(SeO_4)_{0.1}$ , S. Bouattour, T. Mhiri and J. Jaud

248 (1999) 117

#### Molecular motion (incl. diffusive)

Target problem in a lattice with randomly removed bonds, V.M. Syutkin

248 (1999) 213

#### Thermodynamic and transport properties

The ab-initio calculation of the gas phase ion mobility of  $\mathrm{Na^+}$  in  $\mathrm{N_2}$ , A.E. Thompson, R.G.A.R. Maclagan and P.W. Harland

248 (1999) 127

